

100% 
IMPORTED
DESIGNER PAPER

↓
↑
1 MM
THICKNESS

100% 
UREA FREE

ALiMO[®]
Decorative Laminates

Marketed By:
advance
group 

Quality Product By:
 **NELSON**
Laminate

ALiMOTM
Decorative Laminates

PLAIN
COLOUR

PLAIN
COLOUR

ALiMO[®]
Decorative Laminates

Perfect
Colour
Combination



Perfect
Colour
Combination



Fingerprints on the surface cannot be seen at all by the naked eye, or only very slightly



They are low maintenance and easy to clean.



Captivating series enhances interiors by creating a lavish impact of style



Provides better protection to the surface from falling objects.



About us

In publishing and graphic design, Lorem ipsum is a placeholder text commonly used to demonstrate the visual form of a document or a typeface without relying on meaningful content. Lorem ipsum may be used as a placeholder before final copy is available.

In publishing and graphic design, Lorem ipsum is a placeholder text commonly used to demonstrate the visual form of a document or a typeface without relying on meaningful content. Lorem ipsum may be used as a placeholder before final copy is available.

In publishing and graphic design, Lorem ipsum is a placeholder text commonly used to demonstrate the visual form of a document or a typeface without relying on meaningful content. Lorem ipsum may be used as a placeholder before final copy is available.




Perfect
Colour
Combination




INDEX

ALIMO[®]
Decorative Laminates



SUPER MATT




PU



HIGH GLOSS



ROCK



HIGH GLOSS METALLIC



CRYSTAL




LEATHER


SUPER MATT



208 SMT
EGG NOG YELLOW




206 SMT
BABY PINK



250 SMT
MOTH BROWN




246 SMT
WINTER PINK



254 SMT
NUDE PINK



252 SMT
LIGHT PURPLE



244 SMT
COCONUT BROWN




214 SMT
SMOKE GREY



225 SMT
CLOUDY GREY



238 SMT
HARBOR GREY



201 SMT
VICTORIAN WHITE




248 SMT
SILVER CHARM


S U B T L E

C R E A T E A
G R A N D E U R A M B I E N C E


Bring your vision to reality with the perfect use of our jaw-dropping surfaces in your dwelling




SUPER MATT




501 SMT
IVORY WHITE



502 SMT
CHIFFON WHITE




229 SMT
SUPER WHITE



249 SMT
SNOW WHITE


IMPERIAL



239 SMT
FROST WHITE



218 SMT
RICE WHITE




223 SMT
SALT WHITE

Redefine your style and
decor's aesthetics by
choosing this invigorating
collection for your dwelling.



Make a bold style statement with
your choice of laminates brought
to you exclusively by us



231 SMT
WHEAT BEIGE




221 SMT
PEARL WHITE

B A S K I N
T H E R E F I N E D B E A U T Y




233 SMT
BONE WHITE



227 SMT
COCONUT BROWN



242 SMT
MUSHROOM GREY



205 SMT
MINK GREY

SUPER MATT



237 SMT
SADDLE BROWN



224 SMT
UMBER BROWN



SUBLIME



230 SMT
LIGHT SANGRIA



232 SMT
MUSTARD BROWN




517 SMT
BLACK CURRANT



255 SMT
BRICK RED


THE SHADE
OF ELEGANCE




537 SMT
PORCELAIN BEIGE



236 SMT
BURNT SIENNA



228 SMT
WARM BROWN



234 SMT
PEACH BLUSH

CREATE A
DRAMATIC
RETREAT
FROM THESE
SURFACES.



You will not go wrong with this
mystique style of laminates
clubbed with glamorous finesse



SUPER MATT



222 SMT
SUBTLE BLUE



219 SMT
BABY BLUE

SERENITY




217 SMT
TURKISH BLUE



226 SMT
PALED TURQUOISE




212 SMT
GEORGIA BLUE



211 SMT
MINT GREEN



253 SMT
CRISP PISTA




204 SMT
EMERALD GREEN

ADD
CHARACTER
TO YOUR
AREAS WITH
THIS COLOUR
COMBINATION



ALIMO[®]
Decorative Laminates



235 SMT
PICKLE GREEN

Express the language of
unrivalled beauty of natural
colour in your surroundings

EXQUISITE
TO YOUR DECORS



SUPER MATT


A E S T H E T I C A L L Y
R I C H S P A C E S




203 SMT
SKY BLUE




215 SMT
SAPPHIRE BLUE




202 SMT
PIGEON BLUE



209 SMT
ADMIRAL BLUE



243 SMT
SPRUCE BLUE



220 SMT
POWDER BLUE



The stylish appearance of
these laminates reflects
flamboyance and fascination

ADDS A
CAPTIVATING
EDGE TO
YOUR
INTERIORS.



241 SMT
INDEPENDENCE BLUE



245 SMT
STONE BLUE



216 SMT
CADET BLUE



210 SMT
CAROLINA BLUE



207 SMT
OXFORD BLUE



240 SMT
SPACE BLUE



504 SMT
CROW BLACK

HIGH GLOSS



222 HGL
SUBTLE BLUE



212 HGL
GEORGIA BLUE



219 HGL
BABY BLUE



204 HGL
EMERALD GREEN



PRISTINE SURFACES

Our regal and sophisticated surfaces collection will add glitz to your interiors

A N A D O R A B L E
Q U A L I T Y



203 HGL
SKY BLUE



215 HGL
SAPPHIRE BLUE



211 HGL
MINT GREEN



253 HGL
CRISP PISTA



206 HGL
BABY PINK



228 HGL
WARM BROWN



234 HGL
PEACH BLUSH




216 HGL
CADET BLUE




211
Used Laminate

HIGH GLOSS


G I V I N G
L I F E T O R O O M S




223 HGL
SALT WHITE




231 HGL
WHEAT BEIGE




242 HGL
MUSHROOM GREY




221 HGL
PEARL WHITE




239 HGL
FROST WHITE




501 HGL
IVORY WHITE



229 HGL
SUPER WHITE



502 HGL
CHIFFON WHITE



218 HGL
RICE WHITE



227 HGL
COCONUT BROWN



205 HGL
MINK GREY



D R E A M Y



224 HGL
UMBER BROWN



214 HGL
SMOKE GREY




230 HGL
LIGHT SANGRIA




504 HGL
CROW BLACK


HIGH GLOSS METALLIC




247 HGL
DAISY WHITE



251 HGL
PARCHMENT WHITE



249 HGL
SNOW WHITE



250 HGL
MOTH BROWN




246 HGL
WINTER PINK



244 HGL
COCONUT BROWN




HIGH GLOSS METALLIC



243 HGL
SPRUCE BLUE



245 HGL
STONE BLUE



248 HGL
SILVER CHARM



252 HGL
LIGHT PURPLE


E
X
D
E
P
A
L
T
I
A
L
T
R
E
N
D
S



Give miraculous look & stunning designs to decor with these subtle colours



241 HGL
INDEPENDENCE BLUE



240 HGL
SPACE BLUE

LEATHER


F O R E V E R
E N A M O R I N G S U R F A C E S



NL 02 | 205
MINK GREY




NL 02 | 214
SMOKE GREY




NL 02 | 242
MUSHROOM GREY



NL 02 | 238
HARBOR GREY



NL 02 | 229
SUPER WHITE



NL 02 | 223
SALT WHITE



Make a bold style statement with
your choice of laminates brought
to you exclusively by us



NL 02 | 211
MINT GREEN



U B E R C H I C



NL 02 | 235
PICKLE GREEN



NL 02 | 219
BABY BLUE



NL 02 | 202
PIGEON BLUE




NL 02 | 217
TURKISH BLUE


PU



NL 26 | 208
EGG NOG YELLOW



NL 26 | 242
MUSHROOM GREY



NL 26 | 232
MUSTARD BROWN



NL 26 | 225
CLOUDY GREY



NL 26 | 238
HARBOR GREY

Let these marvellous surfaces
adorn your space for years to come
and exude brilliance all around

V I T A L A N D
R E S P L E N D E N T D E C O R S



ALIMO®
Decorative Laminates



NL 26 | 212
GEORGIA BLUE



NL 26 | 535
SAGE GREEN



NL 26 | 216
CADET BLUE



NL 26 | 210
CAROLINA BLUE



NL 26 | 207
OXFORD BLUE

B E G U I L I N G


ROCK

ELOQUENT

DESIGNS
WITH CLASSIC GLOSS



RENDER YOUR
HOME IN
ABSOLUTE
EXUBERANCE



NL 09 | 249
SNOW WHITE



NL 09 | 242
MUSHROOM GREY



NL 09 | 228
WARM BROWN



NL 09 | 205
MINK GREY




NL 09 | 214
SMOKE GREY




When you have such an elite
range of laminate in your vicinity,
you can't help but flaunt it

CRYSTAL


BESPOKE




NL 01 | 245
STONE BLUE



NL 01 | 243
SPRUCE BLUE



NL 01 | 240
SPACE BLUE



NL 01 | 241
INDEPENDENCE BLUE



By adorning your home with these distinctive surfaces, you may make it an extension of your personality



240
Used Laminate

ADORABLE

Textures exuding panache style,
fulfill your desires of wondrous decors

CRYSTAL

PLEASANT



S P R E A D I N G
T I M E L E S S P A N A C H E

ALIMO®
Decorative Laminates



NL 01 | 248
SILVER CHARM



NL 01 | 250
MOTH BROWN



NL 01 | 244
COCONUT BROWN



NL 01 | 236
BURNT SIENNA

ELEGANT IMPRESSIONS

Allow the tranquility of these natural hues to
adorn your area

TECHNICAL SPECIFICATION

Technical Properties	Values as per IS:2046-1995	Verified
Thickness	1.00 MM (±10%)	✓
Resistance to surface wear	350 (Revolution)	✓
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%)	10.0 (Maximum) 11.8 (Maximum)	✓
Resistance to dry heat 180°C	Not worse then 4	✓
Dimensional stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.550 (Maximum) 1.025 (Maximum)	
Dimensional stability at 20°C - Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.600 (Maximum)	✓
Resistance to impact by small diameter ball	20N (Minimum)	✓
Resistance to cracking	Not worse then 4	✓
Resistance to scratching	2N (Minimum)	✓
Resistance to staining	Not worse then 5	✓
Resistance to color change (wool standards) - In xenon arc light - In enclosed carbon arc light	Not worse then 6 Not worse then 5	✓
Resistance to cigarette	Not worse then 3	✓
Resistance to steam	Not worse then 4	✓
Appearance	Free from foreign particles	✓

Laying Instructions for HPL Laminate Sheets

Before use ensures that the surface or plywood and laminates is Clean, Dry, Leveled and free of Oil, Excess moisture or other contaminants, such as dust, synthetic particles, etc.
Only use white PVA Adhesive to stick the sheet. Apply Double Layer of Adhesive on Edge (Minimum 3-4 Inch) of Both The Surfaces.
The adhesive should always be stirred before use. Sufficient adhesive should be applied on both of the surface to be bonded. Don't add water into the adhesive, it makes the bonding weak.
Once adhesive applied is trickily in nature (Usually requires 5-10 minutes, depending on atmospheric conditions), the laminate should be placed on the surface, accurately aligned.
Sufficient bonding procedure to ensure intimate contact necessary for an adequate bond should be applied over the entire area using as much as procedure as possible as possible without damaging the assembly.
Pinch rollers (Rotary Press) and heavy weighted rollers are ideal; Hand rolling should be done from the center to the edges to ensure the removal of air bubbles. The edges should be rolled twice.
For Satisfactory bonding, the area in question should be kept under pressure fir a period of 12-18 hours (Depending on atmospheric conditions).
In rainy season or when humidity is too high, moisture may condense on the surface during drying (Know as “Blushing”) and will prevent an acceptable.Hot Spray or Forced air drying may be used to help prevent this condition.
It is recommended that the maximum sheet size used for vertical field application be limited to 610x2440 mm (2x8 Ft.).
When laminate is pasted vertically, Maintain uniform pressure on all sides till adhesive is dried.
To avoid stress cracking, avoid making cut out having sharp corners and rough edges.
A gap of minimum 2 mm should be maintained between two laminates while pasting side by side.
Due to transportation limitations laid the laminate sheet on flat surface in between 2 plywood sheets for minimum 48 Hrs.

INDEX

Design No.	Finish	Page No.	Design No.	Finish	Page No.	Design No.	Finish	Page No.
201	SMT	14	220	SMT	18	240	NL 01	30
202	NL 02	05	221	SMT	13	241	SMT	19
202	SMT	18	221	HGL	24	241	HGL	23
203	SMT	18	222	SMT	20	241	NL 01	30
203	HGL	27	222	HGL	26	242	NL 02	04
204	NL 33	11	223	NL 02	04	242	NL 09	07
204	SMT	21	223	SMT	12	242	NL 26	08
204	HGL	26	223	HGL	24	242	SMT	13
205	NL 02	04	224	SMT	16	242	HGL	24
205	NL 09	07	224	HGL	25	243	SMT	18
205	SMT	13	225	NL 26	08	243	HGL	23
205	HGL	25	225	NL 25	10	243	NL 01	30
206	SMT	14	225	SMT	15	244	SMT	15
206	HGL	27	226	SMT	20	244	HGL	22
207	NL 26	09	227	SMT	13	244	NL 01	29
207	SMT	19	227	HGL	25	245	SMT	19
208	NL 26	08	228	NL 09	07	245	HGL	23
208	SMT	14	228	SMT	17	245	NL 01	30
209	SMT	18	228	HGL	27	246	SMT	15
210	NL 26	09	229	NL 02	04	246	HGL	22
210	SMT	19	229	SMT	12	247	HGL	22
211	NL 02	05	229	HGL	24	248	SMT	14
211	NL 33	11	230	SMT	16	248	HGL	23
211	SMT	21	230	HGL	25	248	NL 01	29
211	HGL	26	231	NL 25	10	249	NL 09	07
212	NL 26	09	231	SMT	13	249	SMT	12
212	NL 33	11	231	HGL	24	249	HGL	22
212	SMT	20	232	NL 26	08	250	SMT	15
212	HGL	26	232	NL 25	10	250	HGL	22
214	NL 02	04	232	SMT	16	250	NL 01	29
214	NL 09	07	233	SMT	13	251	HGL	22
214	SMT	15	234	SMT	17	252	SMT	15
214	HGL	25	234	HGL	27	252	HGL	23
215	SMT	18	235	NL 02	05	253	SMT	21
215	HGL	27	235	NL 33	11	253	HGL	26
216	NL 26	09	235	SMT	21	254	SMT	15
216	SMT	19	236	SMT	17	255	SMT	16
216	HGL	27	236	NL 01	29	501	SMT	12
217	NL 02	05	237	NL 25	10	501	HGL	24
217	SMT	20	237	SMT	16	502	SMT	12
218	NL 33	11	238	NL 02	04	502	HGL	24
218	SMT	12	238	NL 26	08	504	SMT	19
218	HGL	24	238	SMT	14	504	HGL	25
219	NL 02	05	239	SMT	12	517	SMT	16
219	NL 33	11	239	HGL	24	535	NL 26	09
219	SMT	20	240	SMT	19	535	NL 25	10
219	HGL	26	240	HGL	23	537	SMT	17